# 30x optical zoom + 640x 512 thermal imaging +5KM ranging three-light pod

#### **Basic Information**

- Place of Origin: Made in China
  Brand Name: GS
  Model Number: DIP30G635L50
  Minimum Order Quantity: 1
  Price: Negotiable
  Delivery Time: 6-8
- Payment Terms: T/TSupply Ability: 100



IP

### Product Specification


Voltage:	DC12V-26.2V
<ul> <li>Power Supply:</li> </ul>	45° 45°
Roll Angle Action Range:	-30° +120°
• Pitch Action Range:	-45° +100°
Min Tracking Target Size:	16×16 Pixels
Max Tracking Target Size:	256×256 Pixels
• Target Memory Time:	2 Seconds
<ul> <li>Min Detection Target Siz:</li> </ul>	32×32 Pixels

#### 30X OPTICAL ZOOM + 640X 512 THERMAL IMAGING +5KM RANGING THREE-LIGHT POD

DIP30G635L50 is a professional 3-axis stabilized gimbal integrating270x Hybrid zoom camera, 35mm focal length 640 \* 512 thermal imaging and 5KM laser ranging finder. This gimbal compact in design and has the characteristics of high stability, high integration and low power consumption; The visible light camera uses a high-definition effective 2 mega pixels COMS SENSOR; The thermal imaging adopts 35mm lens, a vanadium oxide 640x512 resolution detector, with an internal baffle. The

Laser ranging has 5KM high-precision distance measurement function. Using our ground station software, support network and serial port synchronous control PTZ and camera, read ranging data, local TF card storage and network file reading and writing, support two-way synchronous video recording, multiple PIP modes and pseudo color switching.

270x Hybrid zoom <sup>®</sup>	5000 m laser ranging
AI Target Detection and Tracking	Network, serial port <sup></sup>
35mm focal length 640 thermal imaging	Three axis enhanced stability pod,1580g



270X Hybrid Zoom <sup>®</sup>	
35mm focal length 640 thermal imaging	
5000 meter laser ranging, video overlay	
AI Target Detection and Tracking (Tracking version)	
Ten false color patterns	
Network and serial port $^{\textcircled{2}}$ synchronization control	
three-axis stabilization PTZ, built-in shock absorption	
TF dual-channel video recording , network operation TF card	



## **Our Services**

1. We provide 1 Year Warranty. Buy with confidence.

2. If you are not satisfied when you receive your item, please return it within 14 days for a replacement or money back. Please contact me before you return it.

3. If item is defective in 3 months, We will send you a replacement without extra charger, or offer refund after we receive the defective item.

4. If item is defective after 3 months, you can still send it back to us. We will send you a new one after receiving the defective item. But you have to pay the extra shipping fee.



## FAQ

Q1: Do you support OEM/ODM?

A1: Yes. We can print your logo on the product.

Q2: About samples.

A2: Under normal circumstances, samples will be ready within 7 days, and 10-20 days for OEM/ODM orders. Sample fee and

shipping will be charged. Q3: What is the delivery time?

A3: For regular orders, we can ship within 15 days, for OEM/ODM, we can ship within 25-45 days (depending on the quantity). In the event of delays, we will notify you in advance of the status and resolution.

Q4: What is the minimum order quantity?

A4: There is no MOQ for wholesale (1 piece accepted), including OEM/ODM.

Q5: What are your payment terms?

A5: L/C.TT100%.

Q6: Can you reduce the shipping cost?

A6: When calculating the shipping cost for you, we always choose the cheapest and safest express. Although we have partnerships with shipping companies, we can't keep costs down because it's not us who get paid. If you think it's expensive for you. You can always make your own choice.

Q7: Return policy.

A7: If you want to replace the received item, you must contact us within 7 days after receiving the item. Returned items should be in their original condition and you should pay for additional shipping.

