₫

more products please visit us on uav-vtoldrone.com

Space Saving Tethered Drone Power Supply A9 400S48 3.2kg

Basic Information

• Place of Origin:

. Brand Name: GS

Model Number: AF-400S48-9K

• Minimum Order Quantity: 1

• Price: Negotiable • Delivery Time: 6-8 Payment Terms: T/T Supply Ability: 100



Product Specification

. Compatible Enclosures: G15, G30

168mm × 271mm × 56mm (Space-saving,

Lightweight Design)

Weight Weight:

Power Rating: Normal 9KW; The Maximum Transient Power Is 10KW

• Input Voltage: 390~405V DC 47~50V DC . Output Voltage:

. Highlight:

Tethered Drone Power Supply,
Space Saving Tethered Drone Power Supply, 405V Tethered Drone Power Supply



More Images











Product Description

Description

AF-400S48-9K High-Efficiency Tethered Power Module

The AF-400S48-9K is a high-performance, high-power-density tethered power module designed for $compatibility \ with \ G15 \ and \ G30 \ tethered \ enclosures. \ Featuring \ a \ compact \ design, \ superior \ stability, \ and \ multiple$ protection mechanisms, it ensures reliable power delivery in demanding environments. The module supports standalone operation or parallel expansion for higher power output, making it ideal for UAVs, emergency power systems, and mobile equipment.

Key Features

High Reliability

Must be used in parallel with a battery to ensure uninterrupted power supply.

Supports parallel operation for scalable power expansion.

Comprehensive Protection

Overcurrent Protection: Automatically limits output current to prevent damage. Short-Circuit Protection: Instantly cuts off faulty circuits for safety. Overvoltage Protection: Shuts down if output voltage exceeds safe limits. Overtemperature Protection: Reduces load or shuts down in case of overheating.



High Efficiency

Optimized circuitry ensures high conversion efficiency and minimal energy loss.

Product picture



The power supply is equipped with output overcurrent protection, output short-circuit protection, output overvoltage protection and over-temperature protection functions

Company image



FAQ

Q1: Do you support OEM/ODM?

A1: Yes. We can print your logo on the product.

Q2: About samples.

A2: Under normal circumstances, samples will be ready within 7 days, and 10-20 days for OEM/ODM orders. Sample fee and shipping will be charged.

Q3: What is the delivery time?

A3: For regular orders, we can ship within 15 days, for OEM/ODM, we can ship within 25-45 days (depending on the quantity). In the event of delays, we will notify you in advance of the status and resolution.

Q4: What is the minimum order quantity?

A4: There is no MOQ for wholesale (1 piece accepted), including OEM/ODM.

Q5: What are your payment terms?

A5: L/C.TT100%.

Q6: Can you reduce the shipping cost?

A6: When calculating the shipping cost for you, we always choose the cheapest and safest express. Although we have partnerships with shipping companies, we can't keep costs down because it's not us who get paid. If you think it's expensive for you. You can always make your own choice.

Q7: Return policy.

A7: If you want to replace the received item, you must contact us within 7 days after receiving the item. Returned items should be in their original condition and you should pay for additional shipping.

Guangzhou Gesai Intelligent Electronic Technology Co., Ltd.

Fuli Yingtong Building, the Pearl River New Town, Tianhe District, Guangzhou, Guangdong, China