



Electric Brushless Motor M.05 VTOL Fixed-Wing Electric Mapping UAV 1285mm Wingspan 2.4kg Payload 1023m Ceiling

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GS
- Certification: CE, RoHS
- Model Number: M.05
- Minimum Order Quantity: 5
- Price: \$3,000-\$25,000
- Packaging Details: Custom flight case with shock-absorbing foam inserts and waterproof seal
- Delivery Time: 56 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 100



Product Specification

- Model: M.05
- Wingspan: 1285 Mm
- Length: 1317 Mm
- Airframe Material: Aviation Carbon Fiber Composite
- Engine: Electric Brushless Motor
- Payload: 2.4 Kg
- Take-off Mass: 23.9 Kg
- Cruise Speed: 29 M/s
- Endurance: 165 Min
- Max Range: 75 Km
- Altitude: 1023 M
- Protection Degree: IP54
- Temperature: -20°C ~ 50°C
- Wind Resistance: Take-off Level 6 / Cruising Level 7
- Launch Method: Runway Take-off

for more products please visit us on uav-vtoldrone.com

M.05 Electric Mapping UAV

The **M.05** is a high-performance electric brushless motor-powered VTOL fixed-wing unmanned aerial vehicle, engineered for **3D Modeling**. Featuring a 1285mm wingspan and 2.4kg payload capacity, this UAV delivers exceptional 165-minute endurance and 75km operational range. The entire airframe is constructed from **aviation-grade carbon fiber composite**, ensuring an optimal balance of structural strength and lightweight portability.

Equipped with an advanced flight control system and modular payload architecture, the M.05 supports rapid mission reconfiguration. Its VTOL capability eliminates the need for runways, enabling deployment from confined spaces. The IP54 protection rating ensures reliable operation in challenging environmental conditions.





Key Features

Advanced VTOL Capability – Vertical takeoff and landing without runway infrastructure, deployable from ships, rooftops, or compact terrain

Full Carbon Fiber Airframe – Aerospace-grade composite construction for 16.7kg lightweight design with industry-leading strength-to-weight ratio

Electric Brushless Motor Power System – Optimized for 165min continuous flight with efficient fuel/energy management and redundant safety protocols

2.4kg Payload Capacity – Modular bay accommodates EO/IR cameras, LiDAR, SAR radar, communication relays, and custom mission equipment

75km Operational Range – Beyond-line-of-sight capability with secure datalink and autonomous return-to-home fail-safe

IP54 Environmental Protection – Reliable operation in rain, dust, and extreme temperatures from -20°C to 50°C

Specifications

Model	M.05
Wingspan	1285 mm
Length	1317 mm
Airframe Material	Aviation Carbon Fiber Composite
Engine	Electric Brushless Motor
Payload	2.4 kg
Maximum Takeoff Weight	23.9 kg
Cruise Speed	29 m/s
Endurance	165 min

Max Range	75 km
Service Ceiling	1023 m
Protection Degree	IP54
Launch Method	Runway Take-off

FAQ

▼ What missions is the M.05 best suited for?

The M.05 is optimized for **3D Modeling** operations, with its 2.4kg payload and 75km range making it ideal for extended-duration missions requiring reliable beyond-line-of-sight communication.

▼ Can the payload configuration be customized?

Yes, the modular payload bay supports rapid swapping between EO/IR gimbals, LiDAR scanners, multispectral cameras, SAR systems, and communication relay equipment based on mission requirements.

▼ How does the VTOL transition work?

The M.05 uses a seamless transition flight controller that automatically manages the conversion from vertical hover to fixed-wing cruise flight, requiring no manual pilot intervention during transition.

▼ What training is required to operate this UAV?

Basic operator training typically takes 3-5 days, covering mission planning, pre-flight checks, emergency procedures, and data post-processing. Advanced payload operation training is available separately.



Guangzhou Gesai Intelligent Electronic Technology Co., Ltd.



Kellyyangjing2021@outlook.com



uav-vtoldrone.com

Fuli Yingtong Building, the Pearl River New Town, Tianhe District, Guangzhou, Guangdong, China