




Electric / Hybrid S.08 VTOL Fixed-Wing Special Mission VTOL UAV 2458mm Wingspan 15.2kg Payload 3247m Ceiling

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GS
- Certification: CE, RoHS, ISO
- Model Number: S.08
- Minimum Order Quantity: 5
- Price: \$15,000-\$120,000
- Packaging Details: Aviation-grade protective foam case with reinforced aluminum outer shell
- Delivery Time: 43 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 100



Product Specification

- Model: S.08
- Wingspan: 2458 Mm
- Length: 1037 Mm
- Airframe Material: Aviation Carbon Fiber Composite
- Engine: Electric / Hybrid
- Payload: 15.2 Kg
- Take-off Mass: 55.3 Kg
- Cruise Speed: 22 M/s
- Endurance: 246 Min
- Max Range: 105 Km
- Altitude: 3247 M
- Protection Degree: IP65
- Temperature: -20°C ~ 50°C
- Wind Resistance: Take-off Level 5 / Cruising Level 6
- Launch Method: VTOL Vertical Take-off

for more products please visit us on uav-vtoldrone.com

S.08 Special Mission VTOL UAV

The **S.08** is a high-performance electric / hybrid-powered VTOL fixed-wing unmanned aerial vehicle, engineered for **Environmental Monitoring**. Featuring a 2458mm wingspan and 15.2kg payload capacity, this UAV delivers exceptional 246-minute endurance and 105km operational range. The entire airframe is constructed from **aviation-grade carbon fiber composite**, ensuring an optimal balance of structural strength and lightweight portability.

Equipped with an advanced flight control system and modular payload architecture, the S.08 supports rapid mission reconfiguration. Its VTOL capability eliminates the need for runways, enabling deployment from confined spaces. The IP65 protection rating ensures reliable operation in challenging environmental conditions.





Key Features

Advanced VTOL Capability – Vertical takeoff and landing without runway infrastructure, deployable from ships, rooftops, or compact terrain

Full Carbon Fiber Airframe – Aerospace-grade composite construction for 38.7kg lightweight design with industry-leading strength-to-weight ratio

Electric / Hybrid Power System – Optimized for 246min continuous flight with efficient fuel/energy management and redundant safety protocols

15.2kg Payload Capacity – Modular bay accommodates EO/IR cameras, LiDAR, SAR radar, communication relays, and custom mission equipment

105km Operational Range – Beyond-line-of-sight capability with secure datalink and autonomous return-to-home fail-safe

IP65 Environmental Protection – Reliable operation in rain, dust, and extreme temperatures from -20°C to 50°C

Specifications

Model	S.08
Wingspan	2458 mm
Length	1037 mm
Airframe Material	Aviation Carbon Fiber Composite
Engine	Electric / Hybrid
Payload	15.2 kg
Maximum Takeoff Weight	55.3 kg
Cruise Speed	22 m/s
Endurance	246 min

Max Range	105 km
Service Ceiling	3247 m
Protection Degree	IP65
Launch Method	VTOL Vertical Take-off

FAQ

▼ What missions is the S.08 best suited for?

The S.08 is optimized for **Environmental Monitoring** operations, with its 15.2kg payload and 105km range making it ideal for extended-duration missions requiring reliable beyond-line-of-sight communication.

▼ Can the payload configuration be customized?

Yes, the modular payload bay supports rapid swapping between EO/IR gimbals, LiDAR scanners, multispectral cameras, SAR systems, and communication relay equipment based on mission requirements.

▼ How does the VTOL transition work?

The S.08 uses a seamless transition flight controller that automatically manages the conversion from vertical hover to fixed-wing cruise flight, requiring no manual pilot intervention during transition.

▼ What training is required to operate this UAV?

Basic operator training typically takes 3-5 days, covering mission planning, pre-flight checks, emergency procedures, and data post-processing. Advanced payload operation training is available separately.



Guangzhou Gesai Intelligent Electronic Technology Co., Ltd.



Kellyyangjing2021@outlook.com



uav-vtoldrone.com

Fuli Yingtong Building, the Pearl River New Town, Tianhe District, Guangzhou, Guangdong, China